



## Portable Water Cooled Air Conditioners

# OWC 6012

<b>Cooling Capacity</b>	@ARI 80°F-67°F at 52% Relative Humidity	5 Ton - 60,100
<b>Dimensions</b>	Width (Inches)	28.25
	Depth (Inches)	39.0
	Height (Inches)	52.5
	Weight (Pounds)	460
	Shipping Weight	500
	Shipping Volume (cubic feet)	46
<b>Electrical Characteristics</b>	Power Supply (Volts)	208-230/1
	Current Consumption	23.7
	Cooling Watts	5000
	In rush current (Amps)	160
	NEMA Plug Configuration	6-30p
	EER	12.0
	Min-max Voltage	187-253
	Power Cord Gauge	10/3
	Power Cord Length (Feet)	10
<b>Compressor Characteristics</b>	Compressor HP	5
	Compressor RLA	27.6
	Compressor LRA	158
<b>Evaporator</b>	Evap (CFM)	1950
	Evap Motor HP	1
	Evap Motor Watts	550
<b>Water Connection Characteristics</b>	Cond Water Flow (GPM) at 60°F inlet	5.5
	Cond Water Flow (GPM) at 85°F inlet	15
	Cond Coil Pressure Drop PSI	0.4
	Water Valve Pressure Drop PSI	2.0
	Water Valve Connection	5/8 MF
	Drain (Return) Connection	5/8 MF
<b>Miscellaneous Features</b>	Condensate Pump Lift	20 Ft.
	Sound Level	69
	R-410A Charge Oz.	52



## Portable Water Cooled Air Conditioners

# OWC 6012

**Power Supply** 208-230 volts 60 hertz 1 phase 23.7 amperes

**Width** 28.25 inches

**Depth** 39 inches

**Height** 52.5 inches

**Weight** (net/shipping) lbs 460/500

All models are backed by a 12-month warranty with 60 months for the compressor.

